

Education Software Installer 2014

SYSTEM ADMINISTRATOR'S GUIDE
FOR WINDOWS OPERATING SYSTEMS

SMART[®]

Product registration

If you register your SMART product, we'll notify you of new features and software upgrades.

Register online at smarttech.com/registration.

Keep the following information available in case you need to contact SMART Support.

Serial number:

Date of purchase:

Trademark notice

SMART Notebook, SMART Ink, SMART Response, Senteo, SMART Document Camera, smarttech, the SMART logo and all SMART taglines are trademarks or registered trademarks of SMART Technologies ULC in the U.S. and/or other countries. Microsoft, Windows, Internet Explorer, ActiveX, DirectX and Visual Studio are either registered trademarks or trademarks of Microsoft Corporation in the U.S. and/or other countries. Adobe, Flash and Reader are either registered trademarks or trademarks of Adobe Systems Incorporated in the U.S. and/or other countries. Firefox is a registered trademark of the Mozilla Foundation. InstallShield is a registered trademark or trademark of Flexera Software, Inc. and/or InstallShield Co. Inc. in the United States of America and/or other countries. All other third-party product and company names may be trademarks of their respective owners.

Copyright notice

© 2014 SMART Technologies ULC. All rights reserved. No part of this publication may be reproduced, transmitted, transcribed, stored in a retrieval system or translated into any language in any form by any means without the prior written consent of SMART Technologies ULC. Information in this manual is subject to change without notice and does not represent a commitment on the part of SMART.

This product and/or use thereof covered by one or more of the following U.S. patents.

www.smarttech.com/patents

12/2014

Contents

Chapter 1: Getting started	1
Computer requirements	2
Locating installation and supporting files	3
Chapter 2: Customizing the software	7
Using SMART Install Manager	7
Using third party tools	18
Chapter 3: Deploying the software	19
Using the command line interface	20
Using third-party imaging or remote management software	23
Activating the software after installation	24
Renewing keys	27
Chapter 4: Updating the software	31
Using a Windows Installer update installation package (MSI file)	31
Using a Windows Installer patch (MSP file)	32
Chapter 5: Removing the software	35
Removing software with the SMART Uninstaller	35
Removing software from the command line interface	36
Appendix A: Windows Installer properties and parameters	45
Properties	45
Parameters	56
Examples	57
Appendix B: Language files and codes	59
Installation language files and codes	59
Handwriting recognition resources	60
Appendix C: Installing and maintaining Gallery content	63
Installing Gallery content	64
Modifying Gallery content	70
Changing Gallery content locations	76
Appendix D: Removing previous versions of SMART Board software	81
Removing SMART Board software 9.x	81
Removing SMART Board software 8.x	82
Cleaning the registry	83

CONTENTS

Index 85

Chapter 1

Getting started

Computer requirements	2
Locating installation and supporting files	3
Locating the complete installer	3
Locating installation packages	4
Language files	5

This guide explains how to customize and deploy the following software:

- SMART Notebook 14.3 collaborative learning software
- SMART Notebook Math Tools software
- SMART Product Drivers 12.1
- SMART Ink™ 2.3
- SMART Response® 2014 assessment software

NOTE

For information on customizing and deploying previous versions of this software, see the appropriate system administrator's guides at smarttech.com/support.

This guide is intended for IT administrators and others experienced with customizing, deploying and administering Windows® software in a networked environment. To use this guide, you must

- Know IT terminology such as “registry” and “domain controller”
- Know how to complete basic administrative tasks in Windows operating systems such as modifying the registry
- Have administrative privileges and access to servers
- Have access to the DVD or to the Internet

 **IMPORTANT**

You must run the commands documented in this guide in an *Administrator Command Prompt* window. To open an *Administrator Command Prompt* window, right-click the **Command Prompt** icon, and then select **Run as Administrator**.

Computer requirements

 **NOTE**

Operating systems and other third-party software released after this SMART software might not be supported.

Before you install the software, ensure your teachers' computers meet the minimum requirements:

- Intel® Core™ 2 Duo processor or better
- 2 GB of RAM
- Free hard disk space:

Software	Space required
SMART Notebook software	832 MB
Gallery Essentials	575 MB
Lesson Activity Toolkit	136 MB
SMART Product Drivers	595 MB
SMART Ink	92 MB
SMART Response software	521 MB
Supporting files	295 MB
Recommended total free hard disk space	3 GB

- Windows 7 SP1, Windows 8 or Windows 8.1 operating system
- Microsoft® .NET Framework 4 Client Profile for SMART Notebook software and SMART Ink
- Microsoft Visual Studio® 2010 Tools for Office for SMART Ink
- Adobe® Flash® Player 15 ActiveX® control for SMART Notebook software
- Adobe Flash Player 15 Firefox® plug-in for SMART Notebook software and SMART Response software

- Adobe Reader® 8.0 or later
- DirectX® technology 10 or later for SMART Notebook software
- DirectX 10 compatible graphics hardware for SMART Notebook software
- Internet Explorer® Internet browser 8 or later
- Internet access to download SMART software



IMPORTANT

- Some features require access to specific web sites. You might need to whitelist those web sites if you restrict outbound Internet access. For further information, see [SMART Notebook and SMART Response VE add-ons behave unexpectedly behind a firewall or proxy](#).
- You must install all prerequisite third-party installation packages before you deploy the SMARTEducationSoftware.msi package. Some SMART Notebook software features will not function as expected if the prerequisite third-party software is not installed first. For more information, see [Installing prerequisite third-party software](#).
- All prerequisite third-party software is built into the EXE file and is automatically installed in the correct order if you deploy the smartesi2014web.exe file or the SMART Education Software.exe file.

Locating installation and supporting files

Before you can customize or deploy SMART software, you must decide which type of file to use for the installation, and then locate the installation and supporting files. Select one of the following available installation file types.

- Complete installer, also known as an executable (EXE) file
- Installation package, also known as an MSI file

Locating the complete installer

The complete installer (also known as an EXE file) contains all software and prerequisite third-party software in a single, executable file. The complete installer (**SMART Education Software.exe**) is located on the DVD in `[DVD drive]\SMART Education Software.exe`.

Alternatively, you can download a web-based version of the installer (smartesi2014web.exe) from smarttech.com/software. You can also download the complete installer in a .zip file form (**smartesi2014admin.zip**) from smarttech.com/administratordownloads.

Locating installation packages

Before deploying the Education Software Installer installation package, you must deploy the following third-party installation packages:

If you want to install this software:	Deploy these installation packages:
SMART Notebook software	<ul style="list-style-type: none">• Microsoft .NET Framework 4 Client Profile files (dotNetFx40_Client_x86_x64.exe)• Adobe Flash Player ActiveX control (install_flash_player_14_active_x.msi)• Adobe Flash Player plug-in (install_flash_player_14_plugin.msi)
SMART Ink	<ul style="list-style-type: none">• Microsoft .NET Framework 4 Client Profile files (dotNetFx40_Client_x86_x64.exe)• Microsoft Visual Studio Tools for Office (vstor40_x86.exe for 32-bit computers or vstor40_x64.exe for 64-bit computers running 32-bit or 64-bit versions of Microsoft Office)
SMART Response software	<ul style="list-style-type: none">• Adobe Flash Player plug-in (install_flash_player_14_plugin.msi)



IMPORTANT

- You must install all prerequisite third-party installation packages before you deploy the SMARTEducationSoftware.msi package. Some SMART Notebook software features will not function as expected if the prerequisite third-party software is not installed first. For more information, see [Installing prerequisite third-party software](#).
- You can run the **dotNetFx40_Client_x86_x64.exe** file to install all required Microsoft .NET Framework prerequisites and the Microsoft .NET Framework 4 Client Profile files. However, SMART recommends that you download the latest version of the Microsoft .NET Framework files from the Microsoft website. For information on deploying the Microsoft .NET Framework, refer to the *.NET Framework deployment guide for administrators* on the MSDN website (msdn.microsoft.com/en-us/library/ee390831.aspx).

The third-party installation packages are located on the DVD in **[DVD drive]:\Administrators\Windows\Education Software Install\Support**.

The Education Software Installer installation package (**SMARTEducationSoftware.msi**) is located on the DVD in **[DVD drive]:\Administrators\Windows\Education Software Install**.

Alternatively, you can download the installation packages in a .zip file from smarttech.com/administratordownloads. The installation packages are located in the **Support** folder of the .zip file.



IMPORTANT

SMART recommends that you deploy SMART software using the **SMARTEducationSoftware.msi** installation package. However, if you choose to deploy the software using individual installation packages, you need to do the following:

- Ensure you use one path for the **INSTALLDIR** property for SMART Product Drivers and SMART Ink, and use a second path for the **INSTALLDIR** property for SMART Notebook software and SMART Response software.
- If you deploy any handwriting recognition resources with the administrator installer, ensure the **Support\Languages** folder exists in the root of the admin .msi so that the administrator installer finds the resources to install.

Save the installation packages in a location on your network that's accessible to all computers on which you plan to install the software.

Language files

If you plan to deploy the installation packages in a language other than English (U.S.), ensure the corresponding MST file for the language is in the same folder as the MSI file (see *Installation language files and codes* on page 59).

Similarly, if you want users to be able to view and use the handwriting recognition feature in a language other than English, you must download and install the appropriate handwriting recognition resources (see *Handwriting recognition resources* on page 60).

These handwriting recognition resources are located on the DVD under **[DVD drive]:\Administrators\Windows\Education Software Install\Support\Languages** or in the downloaded .zip file under **Support\Languages**.

Chapter 2

Customizing the software

Using SMART Install Manager	7
Installing SMART Install Manager	7
Selecting an installation file	8
Using SMART Install Manager with the complete installer	9
Opening a complete installer file	9
Saving your changes	9
Publishing your changes as an XML file	9
Using SMART Install Manager with the installation packages	10
Opening an installation package	10
Saving your changes	10
Publishing your changes as an MST file	11
Customizing the software	11
Using third party tools	18

You can customize the installation using one of the following methods:

- Customize the complete installer using SMART Install Manager.
- Customize the installation packages using SMART Install Manager.
- Customize the installation packages using third-party tools and Windows Installer properties.

Using SMART Install Manager

SMART Install Manager enables you to customize SMART software installation packages (also known as MSI files) by publishing MST files. You can then deploy the MSI and MST files to computers using third-party imaging or remote management software.

Installing SMART Install Manager

Install SMART Install Manager from the DVD.

OR

Download and install SMART Install Manager from the SMART Support website.

To install SMART Install Manager from the DVD

1. Insert the DVD in your computer's DVD drive.
2. Browse to `[DVD drive]\Administrators\Windows\Install Manager`, and then double-click **SMART Install Manager.exe**.

The SMART Install Manager installation wizard appears.

3. Follow the on-screen instructions.

To install SMART Install Manager from the website

1. Go to smarttech.com/administratordownloads.
2. Scroll to *SMART Notebook collaborative learning software*, click **Choose a version**, and then select **SMART Notebook software > 14.3 for Windows**.
3. Click **Download SMART Install Manager**, and then click **Download**.
4. Save the file to your computer.
5. Browse to the file on your computer, and then double-click the file.

The SMART Install Manager installation wizard appears.

6. Follow the on-screen instructions.

Selecting an installation file

After you install SMART Install Manager, shortcuts to the software appear on the desktop and in the Start menu (Windows 7 operating systems) or the *Apps* screen (Windows 8 or 8.1 operating system).

You can use SMART Install Manager with either the complete installer or with the installation packages. Depending on which file type you select, you can do the following:

Installation file	Tasks
Complete installer (.exe file)	<ul style="list-style-type: none">• Open and customize the complete installer (.exe file).• Save your changes to the installation package as an XML file.• Publish your changes to the installation packages as an XML file.
Installation package (.msi file)	<ul style="list-style-type: none">• Open and customize an installation package (.msi file)• Save your changes to the installation package as an XML file.• Publish your changes to the installation packages as an MST file.

Using SMART Install Manager with the complete installer

Use the following instructions if you selected the complete installer.


Opening a complete installer file

To customize the complete installer, drag the SMART Education Software.exe file into the SMART Install Manager window.

Alternatively, you can search for the complete installer on your computer by clicking , or on CDs or DVDs by clicking .

After you open the complete installer, a set of pages for that installer appears in SMART Install Manager. Customize the complete installer using the controls on these pages.

For further information on available controls see *Customizing the software* on page 11.



Saving your changes

After you customize the complete installer, save your changes as an XML file by selecting **File > Save As**. When you next start SMART Install Manager, load the XML file by selecting **File > Open**, or by opening the EXE file and then selecting **File > Import**.

Publishing your changes as an XML file

The final step in using SMART Install Manager to customize the complete installer is to publish your changes as an XML file. To do this, select **File > Publish**, and then use the dialog box to define a location for and create the XML file.

Using SMART Install Manager with the installation packages

Use the following instructions if you selected the installation packages.

Opening an installation package

To customize an installation package, drag the SMARTEducationSoftware.msi file into the SMART Install Manager window.


Alternatively, you can search for installation packages on your computer by clicking , or on CDs or DVDs by clicking .

NOTE

All installation packages you've previously opened in SMART Install Manager appear in the *Unmodified Packages* tab.

After you open an installation package, a set of pages for that installation package appears in SMART Install Manager. Customize the installation package using the controls on these pages.

For further information on available controls see *Customizing the software* on the next page.



Saving your changes

After you customize an installation package, save your changes as an XML file by selecting **File > Save As**. When you next start SMART Install Manager, load the XML file by selecting **File > Open**, or by opening the MSI file and then selecting **File > Import**.

Publishing your changes as an MST file

The final step in using SMART Install Manager to customize an installation package is to publish your changes as an MST file. To do this, select **File > Publish**, and then use the dialog box to define a location for and create the MST file.

 **TIP**

If you use an older MST file created with an earlier version of the MSI file, it might not work properly. Use the current MSI file to create your MST file. Publish the MST file in the same location as the MSI file.

Customizing the software

After you've opened your install file in SMART Install Manager, you can customize the software by setting the controls on each page. Available controls are defined in the following table.

Control	Procedure	Notes
General Options: Product Selection		
SMART Product Drivers	Select to install SMART Product Drivers.	
SMART Ink	Select to install SMART Ink.	
SMART Notebook software	Select to install SMART Notebook software. Read the two notes regarding SMART's new software licensing, and then select the I acknowledge the above note box located under each note.	 IMPORTANT If you don't select the two license acknowledgment boxes, SMART Notebook software doesn't install.
Product key	Type your 25-character product key for SMART Notebook software.	
SMART Response software	Select to install SMART Response software.	If you choose to install SMART Response software, you must also install SMART Notebook software. When you select this check box, SMART Install Manager automatically selects SMART Notebook .


CHAPTER 2
CUSTOMIZING THE SOFTWARE

Control	Procedure	Notes
Product key	If you're installing SMART Response software and students use SMART Notebook SE (Student Edition) software or SMART Response VE Internet-enabled devices to answer questions, type your 25-character product key for SMART Response software.	
SMART Notebook Math Tools	Select to install SMART Notebook Math Tools software.	If you choose to install SMART Notebook Math Tools software, you must also install SMART Notebook software.
Product key	Type your 22- or 25-character product key for SMART Notebook Math Tools software.	
Remove SMART products that aren't selected above if they exist on the system	Select to remove SMART software products available in the current ESI package found on any machine on your system (except the SMART products you selected above). If you don't select this setting, all SMART Education software found is upgraded, even if the SMART software isn't selected above.	This affects the behavior of the installer when you perform an upgrade. It enables you to remove any software in the current ESI package that isn't selected in the SMART Install Manager.

Control	Procedure	Notes
Delay activation	Select to register the product keys on a system without activating them. Registered keys can be activated when users start SMART Notebook software. If you don't select this setting, the software automatically activates during installation rather than manually after installation.	Delaying activation is useful for uniform deployments that include users who don't use SMART Notebook software. Only users who start SMART Notebook software activate registered keys and consume a license.
Disable the License Status dialog box	Select to prevent the software activation reminder from appearing after SMART Notebook software starts.	When this checkbox is selected, the software activation reminder appears only when the SMART Notebook software trial period expires.
General Options: Installation Options		
Start SMART System Menu at logon	Select to start the SMART System Menu when the user logs on.	
Installation directory	Type the path to your preferred folder where program installation files are stored. Once you specify the path, selected programs are installed in sub-directories of this location.	
Install Start menu and desktop shortcuts	Select to create shortcuts in the Start menu and on the desktop.	
General Options: Language Selection		
Select the handwriting recognition resources you want to install	Select the handwriting recognition resources you want to install.	
General Options: SMART Product Update		
Install SMART Product Update in Full mode	Select to install SMART Product Update (SPU) in Full mode.	
Install SMART Product Update in Dashboard mode	Select to install SPU in Dashboard mode.	

Control	Procedure	Notes
Do not install SMART Product Update	Select to not install SPU.	
Check for updates	Type the number of days (1 to 60) between SPU checks.	This option is available only if you install SPU in Full mode. By default, SPU checks for product updates every 30 days.
Notify users about SMART product updates	Select to notify users of available SMART product updates through the Windows notification area.	This option is available only if you install SPU in Full mode.
Reset per-user changes to the previous two settings	Select to remove existing Check for updates and Notify users about SMART product updates values the next time the user runs SPU.	This enables administrators to push new values for these settings to computers and ensures the new values are accepted. Individual users can still modify these settings.
General Options: Customer Experience		
Enable the Customer Experience Program on all devices	Select to automatically enable the Customer Experience Program for all users.	
Disable the Customer Experience Program on all devices	Select to automatically disable the Customer Experience Program for all users.	
SMART Notebook: Gallery Content		
See <i>Installing and maintaining Gallery content</i> on page 63.		
SMART Notebook: Team Content		
Team Content path	Type the path to the Team Content folder, which is a location on your school's network where users can store shared content.	
SMART Notebook: My Content		
My Content path	Type the path to the My Content folder, which is a location on the user's computer where he or she can store individual content.	

Control	Procedure	Notes
SMART Notebook: Optional Settings		
Install print capture driver	Select to include the Print Capture Driver in the installation.	
Register SMART Document Camera drivers	Select to enable the registration of SMART Document Camera™ drivers.	Disable the registration of SMART Document Camera drivers if they conflict with the third-party drivers on the computer.
Copy the SMART Notebook tutorial file	Select to copy the SMART Notebook software tutorial file to the user's <i>Documents</i> folder.	
Update the Windows Firewall exception list	Select to allow SMART Notebook software to communicate through the Windows Firewall for advanced SMART Notebook software developer kit (NBSDK) functionality.	This property updates the Windows Firewall exception list for Domain and Private networks.
Install XC Collaboration Premium Trial version	Select to install a trial version of the XC Collaboration Premium add-on.	Go to xc-collaboration.com for more information on XC Collaboration Premium licensing and support.
Install XC Collaboration Basic version	Select to install the XC Collaboration Basic add-on.	
SMART Response: Setup Tool		
SMART Response LE	Select to enable students to answer questions with SMART Response LE clickers.	
SMART Response PE	Select to enable students to answer questions with SMART Response PE clickers.	

Control	Procedure	Notes
SMART Response XE	Select to enable students to answer questions with SMART Response XE clickers.	
SMART Response/Senteo	Select to enable students to answer questions with SMART Response or Senteo™ clickers.	
SMART Response VE	Select to enable students to answer questions with SMART Response VE Internet-enabled devices.	
SMART Notebook SE	Select to enable students to answer questions with SMART Notebook SE in SMART Response CE mode.	
Multiple SMART Response devices in the same class	<p>Select to enable students to answer questions with Senteo, SMART Response, SMART Response LE, SMART Response PE or SMART Response XE clickers, or SMART Notebook SE.</p> <p>Select Include SMART Response VE to also enable students to answer questions with SMART Response VE Internet-enabled devices.</p>	
SMART Response: Optional Settings		
Start Desktop Menu at log in for all users	Select to start SMART Response software when the user logs on.	

Control	Procedure	Notes
Install the education standards database	Select to install the SMART Response education standards database.	
File port	Type the port number for the file data channel. OR Type * to use a random port number for the file data channel.	This control is applicable only if students answer questions with SMART Notebook SE. The default port is 23458.
Secure Base port	Type the port number for the encrypted data channel. OR Type * to use a random port number for the encrypted data channel.	This control is applicable only if students answer questions with SMART Notebook SE. The default port is 23457.
Certificate file	Type the path to the certificate file for SSL digital certificate encryption. OR Click Browse and then browse to and select the certificate file.	This control is applicable only if students answer questions with SMART Notebook SE.
SMART Response: SMART Response VE Server		
Local server website	Type the URL of the SMART Response VE Server (for example, http://response.example.com).	
SMART Product Drivers: Optional Settings		
Enable Tablet PC Support	Select to use Tablet PC functionality with your SMART interactive display without having to connect a Tablet PC.	
Start SNMP Agent services at logon	Select to enable SNMP Agent services.	
SMART Ink: Optional Settings		
Start SMART Ink at logon	Select to start SMART Ink when the user logs on.	
Make SMART Ink Viewer the default PDF viewer	Select to make SMART Ink Viewer the default PDF viewer.	

Control	Procedure	Notes
Ink Roaming Profile	Select to register the default ink plugin registry keys for Microsoft Office.	If you enable the registration of default ink plugin registry keys, Microsoft Office applications work as expected when a user with a roaming profile logs into a computer that doesn't have SMART Ink installed.

Using third party tools

You can customize SMART software installation packages by creating MST files using a third-party tool, such as Orca database editor, and the Windows Installer properties (see *Windows Installer properties and parameters* on page 45).

Chapter 3

Deploying the software

Using the command line interface	20
Installing prerequisite third-party software	20
Installing SMART software with the complete installer	21
Installing SMART software with the installation package	22
Using third-party imaging or remote management software	23
Activating the software after installation	24
Renewing keys	27
Renewing keys in unattended mode	28
Renewing keys in user interface mode	28
Enabling and disabling automatic renewal of keys	29

You can deploy the software using one of the following methods:

- Deploy the complete installer using the command line interface.
- Deploy the installation packages using the command line interface.
- Deploying the installation packages using third-party imaging or remote management software.



IMPORTANT

- You must install all prerequisite third-party installation packages before you deploy the SMARTEducationSoftware.msi package. Some SMART Notebook software features will not function as expected if the prerequisite third-party software is not installed first. For more information, see [Installing prerequisite third-party software](#).
- Close any Firefox browser windows before installing the Adobe Flash Player plug-in.
- Regardless of how you deploy the software, you must choose to install at least one of the software products. Otherwise, the installers do not install any of the software products.
- If you are deploying SMART Product Drivers, the user must log off and log back on after you deploy the software to start the SMART Board Service. In addition, an error message might appear after you deploy the software stating that the **SMARTBoardService.exe** file could not be found. The user can close this error message.

- If you want to install handwriting recognition resources, you must do so when you first deploy the software. If you want to install a handwriting recognition resource after you first deploy the software, you must do so using the resource's individual MSI file.

 **NOTE**

You might need to manually activate the software after you deploy it.

Using the command line interface

Using the command line interface, you can deploy installation packages in many ways, including running commands from the Command Prompt window and including commands in batch script files.

Installing prerequisite third-party software

To install the Microsoft .NET Framework 4 Client Profile files

 **NOTE**

SMART recommends that you follow the instructions on deploying the Microsoft .NET Framework in the *.NET Framework deployment guide for administrators* on the MSDN website (msdn.microsoft.com/en-us/library/ee390831.aspx).

Run the following command to install the files in UI mode:

```
[Path]\dotNetFx40_Client_x86_x64.exe /passive /showfinalerror
```

OR

Run the following command to install the files in silent mode:

```
[Path]\dotNetFx40_Client_x86_x64.exe /q
```

Where *[Path]* is the path to the `dotNetFx40_Client_x86_x64.exe` file.

To install Microsoft Visual Studio Tools for Office for 32-bit computers

Run the following command:

```
[Path]\vstor40_x86.exe /q
```

Where *[Path]* is the path to the `vstor40_x86.exe` file.

To install Microsoft Visual Studio Tools for Office for 64-bit computers

Run the following command:

```
[Path]\vstor40_x64.exe /q
```

Where *[Path]* is the path to the **vstor40_x64.exe** file.

To install the Adobe Flash Player ActiveX control

Run the following command:

```
msiexec /i "[Path]\install_flash_player_14_active_x.msi" [Parameter]
```

Where

- *[Path]* is the path to the **install_flash_player_14_active_x.msi** file.
- *[Parameter]* is the installation parameter (see *Parameters* on page 56).

To install the Adobe Flash Player plug-in

Run the following command:

```
msiexec /i "[Path]\install_flash_player_14_plugin.msi" [Parameter]
```

Where

- *[Path]* is the path to the **install_flash_player_14_plugin.msi** file.
- *[Parameter]* is the installation parameter (see *Parameters* on page 56).

Installing SMART software with the complete installer

Run the following command if you created an XML file to customize the complete installer:

```
"[Path]\SMART Education Software.exe" --adminfile [XML file] [Parameter]
```

OR

Run the following command if you didn't create an XML file to customize the installation package:

```
"[Path]\SMART Education Software.exe" [Properties] [Parameter]
```

Where

- *[Path]* is the path to the **SMART Education Software.exe** file and XML file.
- *[XML file]* is the name of the XML file.
- *[Properties]* is a set of properties you can include to customize the installation (see *Properties* on page 45).
- *[Parameter]* is the installation parameter (see *Parameters* on page 56).

Installing SMART software with the installation package

To install SMART software

Run the following command if you created an MST file to customize the installation package:

```
msiexec /i "[Path]\SMARTEducationSoftware.msi" TRANSFORMS="[MST file]"  
[Parameter]
```

OR

Run the following command if you didn't create an MST file to customize the installation package:

```
msiexec /i "[Path]\SMARTEducationSoftware.msi" [Properties] [Parameter]
```

Where

- *[Path]* is the path to the **SMARTEducationSoftware.msi** file and MST file.
- *[MST file]* is the name of the MST file.
- *[Properties]* is a set of properties you can include to customize the installation (see *Properties* on page 45).
- *[Parameter]* is the installation parameter (see *Parameters* on page 56).

Using third-party imaging or remote management software

The following procedure shows how to deploy SMART software using Group Policy-based deployment software. For information on deploying SMART software using your organization's third-party imaging or remote management software, see the software's documentation.



NOTES

- This procedure may vary depending on your version of Windows operating system and your system preferences.
- Ensure your domain controller has Windows Installer 4.5.

To deploy an installation package

1. Copy the MSI file and the MST file to `\\[Domain Controller]\NETLOGON`, where *[Domain Controller]* is your domain controller.



IMPORTANT

If you want users to be able to view and use the handwriting recognition feature in a language other than English, you must also copy the **Support\Languages** folder to `\\[Domain Controller]\NETLOGON`. The **Support\Languages** folder is located in the downloaded .zip file. The installer looks for handwriting recognition resources in the **Support\Languages** folder only. It is important you follow these guidelines to ensure a successful installation:

- You must maintain the **Support\Languages** folder structure.
- The **Support\Languages** folder must reside in the root of the folder where the MSI file is stored.

2. Open Control Panel, double-click **Administrative Tools**, and then double-click **Active Directory Users and Computers**.

The *Active Directory Users and Computers* window appears.

3. Right-click your domain, and then select **Properties**.

The *Properties* dialog box appears.

4. Click the **Group Policy** tab, and then click **Edit**.

The *Group Policy Object Editor* dialog box appears.

5. Browse to **Computer Configuration\Software Settings**.

6. Right-click **Software Installation**, select **New > Package**, and then browse to and select the MSI file from step 1.
7. In the *Deploy Software* section, click **Advanced**, and then click **OK**.
8. Click the **Modifications** tab, click **Add**, and then browse to and select the MST file from step 1.
9. Click **OK** to apply the MST file to the MSI file.
10. Close all open windows and dialog boxes.

The next time each computer on the domain starts, the computer automatically installs the software in Silent mode with the customizations defined in the MST file.

Activating the software after installation

There are two situations in which the software doesn't activate completely:

- **Imaging a computer:** Activation is linked to the hardware identifier of the computer the software is installed and activated on. If you clone a hard drive image with installed and activated software, you must activate the software on each cloned computer.
- **Reverting a computer to an earlier state:** If you use system recovery or protection software that periodically restores the computer to an earlier state, you might need to activate the software before locking the computer so that the activation record is not cleared each time the computer is restored.

Run the activation wizard while connected to the network or complete the following procedure to activate the software on each computer.

NOTE

You don't need to activate SMART Product Drivers. SMART provides this software to you when you purchase a SMART interactive product.

To activate SMART software after installation

Run the following command:

```
"C:\Program Files\Common Files\SMART Technologies\  
SMART Product Update\activationwizard.exe"  
--puid education_bundle --m=[Value] --v=3 --a [Optional flags] --pks "  
[Product keys]"
```

Where

- *[Value]* is 4 to run the activation wizard in unattended mode.

OR

[Value] is 6 to run the activation wizard in user interface mode.

- *[Optional flags]* are optional flags you can include to configure the activation wizard.

Flag	Purpose
--monitor=[Number]	Specify the monitor to display the activation wizard.
--proxy=[Host:Port]	Specify the proxy host and port number to use for activation.
--proxyuser=[User]	Specify the proxy user name to use for activation.
--proxypassword=[Password]	Specify the proxy password to use for activation.
--locale=[Code]	Display the activation wizard user interface in a specific language, where <i>[Code]</i> is your language code (see <i>Installation language files and codes</i> on page 59).

- Where *[Product keys]* are one or more software product keys separated by commas.

To activate only SMART Notebook Math Tools software after installation

Run the following command:

```
"C:\Program Files\Common Files\SMART Technologies\  
SMART Product Update\activationwizard.exe"  
--puid education_bundle --m=[Value] --v=3 --a [Optional flags]  
--pks "[Product keys]"
```

Where

- *[Value]* is 4 to run the activation wizard in unattended mode.

OR

[Value] is 6 to run the activation wizard in user interface mode.

- *[Optional flags]* are optional flags you can include to configure the activation wizard.

Flag	Purpose
<code>--monitor=[Number]</code>	Specify the monitor to display the activation wizard.
<code>--proxy=[Host:Port]</code>	Specify the proxy host and port number to use for activation.
<code>--proxyuser=[User]</code>	Specify the proxy user name to use for activation.
<code>--proxypassword=[Password]</code>	Specify the proxy password to use for activation.
<code>--locale=[Code]</code>	Display the activation wizard user interface in a specific language, where <i>[Code]</i> is your language code (see <i>Installation language files and codes</i> on page 59).

- Where *[Product keys]* are one or more software product keys separated by commas.

To activate only SMART Response software after installation

Run the following command:

```
"C:\Program Files\Common Files\SMART Technologies\  
SMART Product Update\activationwizard.exe" --puid response_3a  
--uipack response_3 --m=[Value] --v=3 --a [Optional flags]  
--pks "[Product keys]"
```

Where

- *[Value]* is 4 to run the activation wizard in unattended mode.

OR

[Value] is 6 to run the activation wizard in user interface mode.

- *[Optional flags]* are optional flags you can include to configure the activation wizard.

Flag	Purpose
<code>--monitor=[Number]</code>	Specify the monitor to display the activation wizard.
<code>--proxy=[Host:Port]</code>	Specify the proxy host and port number to use for activation.
<code>--proxyuser=[User]</code>	Specify the proxy user name to use for activation.
<code>--proxypassword=[Password]</code>	Specify the proxy password to use for activation.
<code>--locale=[Code]</code>	Display the activation wizard user interface in a specific language, where <i>[Code]</i> is your language code (see <i>Installation language files and codes</i> on page 59).

- Where *[Product keys]* are one or more software product keys separated by commas.



NOTE

This command is applicable only if you're running SMART Response software in CE mode (students answer questions with SMART Notebook SE) or VE mode (students answer questions with Internet-enabled devices). Other modes don't require activation.

Renewing keys

If your school has purchased maintenance or subscription licenses, SMART software attempts to renew the keys automatically on a scheduled basis before and after the keys' expiry dates. However, you can choose to explicitly renew the keys at a specified time. You can also choose to disable automatic renewal in situations where you don't want the keys on a computer to be renewed (because, for example, you're planning to retire the computer).



TIP

The activation wizard user interface distinguishes between maintenance and subscription licenses:

- Maintenance licenses are labeled with "Valid for versions released before *[Date]*".
- Subscription licenses are labeled with the expiration date of the key.

Renewing keys in unattended mode

To renew all keys

Run the following command:

```
"C:\Program Files\Common Files\SMART Technologies\  
SMART Product Update\activationwizard.exe" --m=15 --v=3  
--renewal-mode all
```

To renew all keys associated with a single product

Run the following command:

```
"C:\Program Files\Common Files\SMART Technologies\  
SMART Product Update\activationwizard.exe" --m=15 --v=3  
--renewal-mode product --puid=[Product]
```

Where *[Product]* is **response_14** or **education_bundle**.



NOTE

This command renews all keys associated with the specified product.

To renew specific keys

Run the following command:

```
"C:\Program Files\Common Files\SMART Technologies\  
SMART Product Update\activationwizard.exe" --m=15 --v=3  
--renewal-mode product --puid=[Product] --pks "[Product keys]"
```

Where

- *[Product]* is **response_14** or **education_bundle**.
- Where *[Product keys]* are one or more software product keys separated by commas.

Renewing keys in user interface mode

To renew all keys associated with a single product

Run the following command:

```
"C:\Program Files\Common Files\SMART Technologies\  
SMART Product Update\activationwizard.exe" --m=16 --v=3  
--renewal-mode product --puid=[Product] --uipack=[UI pack]
```

Where

- *[Product]* is **response_14** or **education_bundle**.
- *[UI pack]* is the corresponding UI pack for the selected product (**response_3** or **education_bundle**).



NOTE

This command renews all keys associated with the specified product.

To renew specific keys

Run the following command:

```
"C:\Program Files\Common Files\SMART Technologies\  
SMART Product Update\activationwizard.exe" --m=16 --v=3  
--renewal-mode product --puid=[Product] --uipack=[UI pack]  
--pks "[Product keys]"
```

Where

- *[Product]* is **response_14** or **education_bundle**.
- *[UI pack]* is the corresponding UI pack for the selected product (**response_3** or **education_bundle**).
- Where *[Product keys]* are one or more software product keys separated by commas.

Enabling and disabling automatic renewal of keys

To enable automatic renewal of specific keys

Run the following command:

```
"C:\Program Files\Common Files\SMART Technologies\  
SMART Product Update\activationwizard.exe" --m=17  
--puid=[Product] --v=3 --auto-renew --pks "[Product keys]"
```

Where

- *[Product]* is **response_14** or **education_bundle**.
- Where *[Product key]* is the software product key.

To disable automatic renewal of specific keys

Run the following command:

```
"C:\Program Files\Common Files\SMART Technologies\  
SMART Product Update\activationwizard.exe" --m=17  
--puid=[Product] --v=3 --no-auto-renew --pks "[Product keys]"
```

Where

- *[Product]* is **response_14** or **education_bundle**.
- Where *[Product keys]* are one or more software product keys separated by commas.

To disable automatic renewal on a computer

Run the following command:

```
"C:\Program Files\Common Files\SMART Technologies\  
SMART Product Update\activationwizard.exe" --m=18 --v=3  
--no-auto-renew
```

To enable automatic renewal on a computer

Run the following command:

```
"C:\Program Files\Common Files\SMART Technologies\  
SMART Product Update\activationwizard.exe" --m=18 --v=3  
--auto-renew
```

Chapter 4

Updating the software

SMART periodically releases updates to its software. These updates add new features and resolve issues.

Go to smarttech.com/software to download the latest installation package. SMART provides updates in two file formats in the installation package:

- Windows Installer update installation packages (MSI files)
- Windows Installer patches (MSP files)

NOTE

MSP files are available only for select updates as identified on the SMART website.

Which file format you use depends on the version of the software installed on your computers and the version of the update. If these versions are the same, you can use the MSP file, if available, to install the update. If these versions are different (because, for example, a previous version of the software is installed on your computers), you must first upgrade the software on your computers to the same version as the update using the MSI file and then install the update using the MSP file, if available.

After you download an installation package and extract the update files, place the update files in a location on your network that's accessible to all the computers you plan to update.

IMPORTANT

You cannot roll back an update after installing it on your computers. You must remove the full version of the software using Control Panel or the command line interface (see *Removing the software* on page 35), and then install the previous version of the software.

Using a Windows Installer update installation package (MSI file)

The command line for running an update using a Windows Installer update installation package varies depending on whether the update is major or minor.

 **NOTE**

The SMART website indicates whether an update is major or minor.

To run a major software update using a Windows Installer update installation package

Run the following command:

```
msiexec /i "[Path]\[File].msi" [Parameter]
```

Where

- *[Path]* is the path to the MSI file.
- *[File]* is the name of the MSI file.
- *[Parameter]* is the installation parameter (see *Parameters* on page 56).

 **IMPORTANT**

Do not include the REINSTALLMODE and REINSTALL properties.

To run a minor software update using a Windows Installer update installation package

Run the following command:

```
msiexec /i "[Path]\[File].msi" REINSTALLMODE=vomus REINSTALL=ALL [Parameter]
```

Where

- *[Path]* is the path to the MSI file.
- *[File]* is the name of the MSI file.
- *[Parameter]* is the installation parameter (see *Parameters* on page 56).

 **IMPORTANT**

You must include the REINSTALLMODE=vomus and REINSTALL=ALL properties for a minor update to succeed.

Using a Windows Installer patch (MSP file)

To run a software update using a Windows Installer patch

Run one of the following commands:

```
msiexec /p "[Path]\[File].msp" REINSTALLMODE=omus /q
```

```
msiexec /update "[Path]\[File].msp" /quiet
```

Where

- *[Path]* is the path to the MSP file.
- *[File]* is the name of the MSP file.

Chapter 5

Removing the software

Removing software with the SMART Uninstaller	35
Removing software from the command line interface	36
Recommended procedures	36
Other commands	39
Product codes	40
SMART Notebook software	40
SMART Response software	41
SMART Product Drivers	42
SMART Ink	43
SMART Common Files	43

SMART Uninstaller enables you to remove SMART software.

Removing software with the SMART Uninstaller

You can remove SMART software from individual computers using the SMART Uninstaller user interface.

To remove SMART software

1. In Windows 7 operating systems, select **Start > All Programs > SMART Technologies > SMART Tools > SMART Uninstaller**.

OR

In Windows 8 or 8.1 operating systems, go to the *Apps* screen and then scroll to and click **SMART Uninstaller**.

2. Click **Next**.

3. Select the check boxes of the SMART software and supporting packages that you want to remove, and then click **Next**.



NOTES

- Some SMART software is dependent on other SMART software. For example, if you select the **SMART Notebook** check box, SMART Uninstaller selects the **SMART Response** check box automatically because SMART Response software is dependent on SMART Notebook software.
- SMART Uninstaller automatically removes any supporting packages that are no longer being used. If you choose to remove all SMART software, SMART Uninstaller automatically removes all supporting packages, including itself.



TIPS

- To select all software and supporting packages, click **Select All**.
- To clear the selection of all software and supporting packages, click **Clear All**.

4. Click **Uninstall**.

SMART Uninstaller removes the selected software and supporting packages.

5. Click **Finish**.

Removing software from the command line interface

In addition to removing SMART software using the SMART Uninstaller user interface, you can remove SMART software using the SMART Uninstaller command line interface. This enables you to automate the removal of SMART software and remove SMART software remotely.

Recommended procedures

The following are recommended procedures for removing SMART software using the SMART Uninstaller command line interface.



NOTE

SMART recommends that you copy SMART Uninstaller to a temporary location before running command lines and prefix command lines with **start /wait**.

To remove all SMART software

1. Copy SMART Uninstaller to a temporary location by running one of the following commands:

- For 32-bit operating systems:

```
copy "%CommonProgramFiles%\SMART Technologies\  
SMART Uninstaller\ SMART Uninstaller.exe" "%TEMP%"
```

- For 64-bit operating systems:

```
copy "%CommonProgramFiles(x86)%\SMART Technologies\  
SMART Uninstaller\ SMART Uninstaller.exe" "%TEMP%"
```

2. Remove all software by running the following command:

```
start /wait "SMART Uninstaller" "%TEMP%\SMART Uninstaller.exe"  
--noui --uninstall-all --uilevel none
```

3. Delete the copy of SMART Uninstaller in the temporary location by running the following command:

```
del "%TEMP%\SMART Uninstaller.exe"
```

To remove select SMART software by product name

1. Copy SMART Uninstaller to a temporary location by running one of the following commands:

- For 32-bit operating systems:

```
copy "%CommonProgramFiles%\SMART Technologies\  
SMART Uninstaller\SMART Uninstaller.exe" "%TEMP%"
```

- For 64-bit operating systems:

```
copy "%CommonProgramFiles(x86)%\SMART Technologies\  
SMART Uninstaller\SMART Uninstaller.exe" "%TEMP%"
```

2. Remove select software by running the following command:

```
start /wait "SMART Uninstaller" "%TEMP%\SMART Uninstaller.exe"  
--noui --uninstall "[Product names]" --uilevel none
```

Where *[Product names]* is a comma delimited list of product names (for example, **SMART Notebook, SMART Response**).

4. Delete the copy of SMART Uninstaller in the temporary location by running the following command:

```
del "%TEMP%\SMART Uninstaller.exe"
```

To remove select SMART software by product code

1. Copy SMART Uninstaller to a temporary location by running one of the following commands:

- o For 32-bit operating systems:

```
copy "%CommonProgramFiles%\SMART Technologies\  
SMART Uninstaller\SMART Uninstaller.exe" "%TEMP%"
```

- o For 64-bit operating systems:

```
copy "%CommonProgramFiles(x86)%\SMART Technologies\  
SMART Uninstaller\SMART Uninstaller.exe" "%TEMP%"
```

2. Remove select software by running the following command:

```
start /wait "SMART Uninstaller" "%TEMP%\SMART Uninstaller.exe"  
--noui --uninstall-pc [Product codes] --uilevel none
```

Where *[Product codes]* is a comma delimited list of product codes (see *Product codes* on page 40).

4. Delete the copy of SMART Uninstaller in the temporary location by running the following command:

```
del "%TEMP%\SMART Uninstaller.exe"
```

Other commands

In addition to the commands in the recommended procedures, you can include the following commands with SMART Uninstaller.

Command	Description	Notes (if any)
<code>--dry-run</code>	Runs the command line but doesn't remove the software.	This is useful for testing command lines before implementing them.
<code>--locale [Language code]</code> Where <i>[Language code]</i> is a language code (for example, fr for French)	Displays SMART Uninstaller in a language other than the operating system's language.	
<code>--uilevel [Level]</code> Where <i>[Level]</i> is none, basic (default), reduced or full	Specifies the user interface that displays when SMART Uninstaller removes the software.	Normally, --uilevel none is used only in combination with --noui .
<code>--no-auto-remove</code>	Disables the automatic removal of supporting packages (for example, SMART Common Files) that are no longer required after the selected packages are removed.	This is used only if --noui is also included.

Command	Description	Notes (if any)
--noui	Doesn't display the SMART Uninstaller user interface.	Normally, --noui is used only in combination with --uilevel none.
--uninstall-all	Removes all detected SMART packages.	
--uninstall <i>[Product names]</i> Where <i>[Product names]</i> is a comma delimited list of product names (for example, SMART Notebook, SMART Response)	Removes the specified products.	
--uninstall-pc <i>[Product codes]</i> Where <i>[Product codes]</i> is a comma delimited list of product codes (see <i>Product codes</i> below)	Removes the specified products.	

Product codes

SMART Notebook software

Version	Product code
10.0.124.0	{3E926B45-3748-40F9-8A30-99B225E1D2E5}
10.0.126.0	{F581DF68-CAE9-4064-A6CD-705D95D1C756}
10.0.132.0	{F581DF68-CAE9-4064-A6CD-705D95D1C756}
10.0.187.1	{F581DF68-CAE9-4064-A6CD-705D95D1C756}
10.1.253.1	{D836B93F-3030-4047-99D3-65304A25839A}
10.0.517.2	{A51CDA36-B81D-4934-9C9D-B649A0DBF4CD}
10.0.596.3	{5C98A4FE-1F42-4F02-B738-F32886AE5467}
10.0.631.3	{5C98A4FE-1F42-4F02-B738-F32886AE5467}
10.6.94.0	{0A0719F0-AD56-42BA-B68C-EFFC330B6F13}
10.6.140.1	{47E6A509-37B7-4440-A252-7031E9A898D7}
10.7	{9550F8A6-3D21-4544-8B87-F9FE7E01B964}
10.8	{ED0FF410-41B9-441F-B457-4AC81782E8BF}

CHAPTER 5
REMOVING THE SOFTWARE

Version	Product code
11.0	{AFE024C7-7CA7-4C8E-90EE-D877C7CD96A3}
11.1	{A810B5F5-8ACA-4670-B6B3-F98B07DFF6C4}
11.2	{82E3F365-86BD-4EA8-80CA-F498EBE89537}
11.3	{E57F6C8B-E159-477E-93BF-764759747BC4}
11.4	{79660EE7-9C0B-4962-B566-2693FE34719D}
14.0	{4DF72C85-33C5-4297-A0DE-FC6DB766695D}
14.1	{84579080-E961-4DE7-93AB-5E2B81A96387}
14.2	{D4C0DEF0-8D83-4884-91D9-83A07D0F2CB5}
14.3	{18E53BBD-971F-4A77-9620-EB2C1539E308}

SMART Response software

Version	Product code
2.0.97.0	{BDB1F637-C890-4B86-A5A7-D20D8DBE176B}
2.1.307.0	{CFD7DD74-42F9-4B50-AFCD-1E0B0F5ABBA4}
2.2.591.1	{7A63D2B1-DE99-4DB3-93E7-8FDEDD49E3E3}
2.5.39.0	{D04D1BAC-D63F-498F-B613-FB7BCF2F6C52}
3.0.159.0	{6FFCF813-06AF-468A-AD64-7F9B04DD0EDA}
3.0.256.1	{8B4CE9CA-ECB7-47D1-845E-E1167FFB3F1B}
3.5	{3ABF6865-E84E-4DAB-B730-0EB9E8F37EB1}
4.0	{02885557-ACA5-4B6F-85D2-3F1A9B8580F5}
4.5	{BB0A384B-10C1-478A-8A3C-538B74590484}
4.6	{2D13D1AD-856F-4C63-BBF1-C2963197F4D0}
4.7	{901A7D5C-68D6-43DB-A7F0-FA8086020FE6}
4.8	{351B2133-C2A9-40A6-B6E8-B8468BD91D1A}
14.0	{898459B6-AD29-43D0-AF51-5AC9DEDE4891}
14.1	{A6084374-342D-48AB-912C-7AF5602582AF}
14.2	{5DC9DF61-9233-4402-B3BB-5DD59EB5BED0}
14.3	{760BEE4C-2DC0-4626-96B4-47DD69B10A61}

SMART Product Drivers

Version	Product code
10.0.124.0	{FF7A64AB-214A-47D1-95E7-742BCBA7F6C9}
10.0.131.0	{FF7A64AB-214A-47D1-95E7-742BCBA7F6C9}
10.0.163.1	{FF7A64AB-214A-47D1-95E7-742BCBA7F6C9}
10.0.165.1	{FF7A64AB-214A-47D1-95E7-742BCBA7F6C9}
10.0.186.2	{FF7A64AB-214A-47D1-95E7-742BCBA7F6C9}
10.0.188.3	{FF7A64AB-214A-47D1-95E7-742BCBA7F6C9}
10.0.232.4	{FF7A64AB-214A-47D1-95E7-742BCBA7F6C9}
10.0.255.5	{FF7A64AB-214A-47D1-95E7-742BCBA7F6C9}
10.0.314.5	{FF7A64AB-214A-47D1-95E7-742BCBA7F6C9}
10.0.392.6	{00C68967-9790-40DA-86F7-FDB248A5CDB1}
10.0.528.7	{AA9C1126-50DD-4993-9CDC-0BED8167293C}
10.0.532.7	{984EAE92-6043-451A-B786-9327FF165310}
10.6.48.0	{2623A1E3-478A-4F4A-A522-3A3D784A0C9C}
10.6.106.1	{487F1117-8BDE-4518-A798-015172AE0410}
10.6.175.2	{333B0B76-FC96-4C51-9AF6-B6EFA15ACE99}
10.7.81.0	{1355416A-967D-47C5-823D-D493C3E0B97C}
10.7 SP1	{4CE6C6E8-0DAD-4757-86ED-7FB4035BA98B}
10.8	{67E6410C-1E97-4D03-BEC2-8E83323A6BBD}
11.0	{E3189F44-F7BD-4F96-B756-A0AEFAF61D3A}
11.1	{E91FBB79-D736-4834-A1AB-2A5CDD2DB7E7}
11.3	{589B09F5-0768-4BE9-B8C0-DD253E6B3643}
11.4	{53330A17-78DE-458E-9997-292A2D6D3ADD}
11.5	{B1209081-5D82-4F8A-8318-BE7583B6E265}
11.6	{890680EC-2F88-47F0-970C-593081E62593}
12	{111A1715-267A-4387-B63D-D7E6E7D97677}
12.1	{67F35E75-A186-4F80-B291-8283331D5550}

SMART Ink

Version	Product code
1.0	{4A1F2472-6164-43FA-9D2F-B35E71A8DF32}
1.1	{4A1F2472-6164-43FA-9D2F-B35E71A8DF32}
1.1 SP1	{F0E390A2-AB03-4077-83C4-F12D3A65493D}
2.0	{5ABC49B5-D0DC-428D-A082-4AEFF6490F04}
2.1	{B4F5D378-9784-442B-97D5-24CAAF3299AA}
2.2	{FC69B741-DC56-4591-97A2-A6BA211B7E76}
2.3	{FAF3CC40-F647-4AA7-84D6-7BD67C4F2362}
2.3.1	{232C8EC0-4856-4EEA-B99F-5FCC4E103A09}

SMART Common Files

Version	Product code
2011 (10.8)	{0E5DD7A3-BE29-430C-970B-C553F4A58C39}
2012 (11.0)	{ED2455F7-6AA6-4D3C-85E9-A72297DD7051}
2013 (11.1)	{3D7235B2-3305-4FE1-A9A1-5F8AC2F33122}
2013 (11.2)	{9057211D-439A-4C0D-95DE-498CF54ADF8C}
2013 (11.3)	{BBA07B40-F7C6-44F7-BF08-767F8835685F}
2013 (11.4)	{26A95DBF-A866-4838-A8C9-FA219FCBD22E}

Appendix A

Windows Installer properties and parameters

Properties	45
Parameters	56
Examples	57

Properties

The following are properties for the installation package.

Property	Allowed values	Notes
General properties		
TRANSFORMS	[String]: A language MST file for the installation (see <i>Installation language files and codes</i> on page 59).	Ensure the specified MST file is in the same folder as the MSI file. This property defines the language of the installer's user interface and the installed software's icons and shortcuts. It doesn't define the installed software's user interface language. The installed software uses the computer's operating system language if it's supported, or English (U.S.) if not. You can also use the TRANSFORMS property to apply an MST file created by SMART Install Manager (see) or a third-party tool.

APPENDIX A
WINDOWS INSTALLER PROPERTIES AND PARAMETERS

Property	Allowed values	Notes
MSIFASTINSTALL	1: Disable creating a system restore point. 0 (default): Ask Windows to create a system restore point.	This property applies to the complete installer (EXE) only. The MSI installer follows Windows Installer conventions and doesn't create a system restore point in quiet (/qn) mode, but asks Windows to create a system restore point in full, reduced or basic UI modes. By default, Windows 8 operating system and later creates a maximum of one system restore point in a 24-hour period.
ACTIVATE_LICENSE	1 (default): Register the product keys and automatically activate the software. 0: Register the product keys and don't automatically activate the software (delay activation). Registered keys can be activated when users start SMART Notebook software.	Delaying activation (0) is useful for uniform deployments that include users who don't use SMART Notebook software. Only users who start SMART Notebook software activate registered keys and consume a license.
DISABLE_NAG	1: Prevent the software activation reminder from appearing after SMART Notebook software starts. 0 (default): Allow the software activation reminder to appear after SMART Notebook software starts.	When 1 is selected, the software activation reminder appears only when the SMART Notebook software trial period expires.
INSTALL_BOARD	1: Install SMART Product Drivers.	
LAUNCH_SYSTEM_MENU	1 (default): Automatically start SMART System Menu after installation and each time the system is started. [Empty string]: Don't automatically start SMART System Menu after installation and each time the system is started.	
INSTALL_INK	1: Install SMART Ink	

APPENDIX A
WINDOWS INSTALLER PROPERTIES AND PARAMETERS

Property	Allowed values	Notes
INSTALL_ NOTEBOOK	1: Install SMART Notebook software.	
NB_PROD_KEY	[String]: The 25-character product key for SMART Notebook software you received from SMART.	
INSTALL_ RESPONSE	1: Install SMART Response software.	If you include the INSTALL_RESPONSE property, Windows Installer installs SMART Notebook software even if you don't include the INSTALL_NOTEBOOK property.
RESP_PROD_ KEY	[String]: The 25-character product key for SMART Response software you received from SMART if students use SMART Notebook SE or SMART Response VE Internet-enabled devices to answer questions.	
ENABLE_MATH_ TRIAL	1: Install SMART Notebook Math Tools software.	If you include the ENABLE_MATH_TRIAL property, Windows Installer installs SMART Notebook software even if you don't include the INSTALL_NOTEBOOK property.
MATH_PROD_ KEY	[String]: The 22- or 25-character product key for SMART Notebook Math Tools software you received from SMART.	
UNINSTALL_ EXISTING	1: Remove SMART software products available in the current ESI package found on any machine on your system (except any SMART products you included in your command). [Empty string] (default): Upgrade all SMART Education software found on your system, even if the SMART software isn't selected above.	This enables you to remove any software in the current ESI package that isn't included in your command.
INSTALLDIR	[String]: Type the path to your preferred folder where program installation files are stored. Once you specify the path, selected programs are installed in sub-directories of this location	

APPENDIX A
WINDOWS INSTALLER PROPERTIES AND PARAMETERS

Property	Allowed values	Notes
DESKTOP_ICONS	1 (default): Include shortcuts to the software on the desktop. [Empty string]: Don't include shortcuts to the software on the desktop.	
SPU properties		
INSTALL_SPU	1 (default): Install SPU in Full mode. 2: Install SPU in Dashboard mode. 0: Don't install SPU.	
SPU_TIME_FRAME	[Integer]: The time in days (1 to 60) between SPU checks.	By default, SPU checks for product updates every 30 days. This property is applicable only if you install SPU.
PRODUCT_NOTIFICATION	1 (default): Notify the user when updates are available from SPU. 0: Don't notify the user when updates are available from SPU.	This property is applicable only if you install SPU.
INVALIDATE_HKCU_INTERVAL	1: Remove existing Check for updates and Notify users about SMART product updates values the next time the user runs SPU. 0 (default): Don't remove existing Check for updates and Notify users about SMART product updates values the next time the user runs SPU.	This enables administrators to push new values for these settings to computers and ensures the new values are accepted. Individual users can still modify these settings
Customer Experience Program properties		
CUSTOMER_LOGGING	1 (default): Enable the Customer Experience Program. 0: Disable the Customer Experience Program.	

APPENDIX A
WINDOWS INSTALLER PROPERTIES AND PARAMETERS

Property	Allowed values	Notes
SMART Notebook software properties		
CONTENT_TARGET_PATH CONTENT_SOURCE_PATH NETWORK_CONTENT	<p>If you're installing Gallery content on each user's computer, and are including the gallery files in the same folder as the installer (option 1):</p> <ul style="list-style-type: none"> Do not set CONTENT_SOURCE_PATH. Set CONTENT_TARGET_PATH to the path of the folder you want to install the Gallery content (if you don't want to use the default folder). <p>If you're installing Gallery content on each user's computer from a folder on your school's network (option 2):</p> <ul style="list-style-type: none"> Set CONTENT_SOURCE_PATH to the path of the folder on your school's network that contains the Gallery Essentials and Lesson Activity Toolkit folders. Set CONTENT_TARGET_PATH to the path of the folder where you want to install the Gallery content (if you don't want to use the default folder). <p>If you're installing Gallery content in a central location (option 3):</p> <ul style="list-style-type: none"> Set NETWORK_CONTENT to 1. Set CONTENT_TARGET_PATH to the path of the the folder on your school's network that contains the Gallery Essentials and Lesson Activity Toolkit folders. 	<p>For more information on the these options, see <i>Installing Gallery content</i> on page 64.</p> <p>If you select option 3, Windows Installer ignores the FULL_GALLERY and *_CONTENT properties.</p> <p>The default Gallery folder on the computer is [All users profile folder] \SMART Technologies.</p>
FULL_GALLERY	1: Install the full Gallery Essentials collection.	
ADMIN_CONTENT	1: Install the Administration and Evaluation category.	
ARTS_CONTENT	1: Install the Arts category.	
ENGLISH_CONTENT	1: Install the English and Language Arts category.	
GEOGRAPHY_CONTENT	1: Install the Geography category.	
HISTORY_CONTENT	1: Install the History category.	

APPENDIX A
WINDOWS INSTALLER PROPERTIES AND PARAMETERS

Property	Allowed values	Notes
MATH_CONTENT	1: Install the Mathematics category.	
PEOPLE_CONTENT	1: Install the People and Culture category.	
SCIENCE_CONTENT	1: Install the Science and Technology category.	
SPECIAL_CONTENT	1: Install the Special Needs category.	
SPORTS_CONTENT	1: Install the Sports and Recreation category.	
LAT_CONTENT	1: Install the Lesson Activity Toolkit collection.	
TEAM_CONTENT_PATH	[String]: Specify the path to the Team Content folder, which is a location on your school's network where users can store shared content.	You must specify a path to an existing folder in this property.
MY_CONTENT	[String]: Specify the path to the My Content folder, which is a location on the user's computer where he or she can store individual content.	This property is useful if you want to store content in a shared network folder so users can access their My Content folder from any computer on the network.
PRINT_CAPTURE	1 (default): Install the Print Capture Driver. [Empty string]: Don't install the Print Capture Driver.	
INSTALL_DOCCAM_DRIVERS	1 (default): Enable the registration of SMART Document Camera drivers. [Empty string]: Disable the registration of SMART Document Camera drivers.	Disable the registration of SMART Document Camera drivers if they conflict with existing third-party drivers on the computer.
COPY_TUTORIAL	1 (default): Copy the SMART Notebook software tutorial file to the user's <i>Documents</i> folder. 0: Don't copy the SMART Notebook software tutorial file to the user's <i>Documents</i> folder.	

APPENDIX A
WINDOWS INSTALLER PROPERTIES AND PARAMETERS

Property	Allowed values	Notes
ENABLE_NB_FIREWALL	1 (default): Allow SMART Notebook software to communicate through the Windows Firewall for advanced NBSDK functionality. 0: Don't allow SMART Notebook software to communicate through the Windows Firewall. SMART Notebook software can listen locally but is unable to communicate through the Windows Firewall.	This property updates the Windows Firewall exception list for Domain and Private networks.
INSTALL_XC	1 (default): Install a trial version of the XC Collaboration Premium add-on. 0: Install the XC Collaboration Basic add-on.	Go to xc-collaboration.com for more information on XC Collaboration Premium licensing and support.
SMART Response software properties		
RESPONSE_MODE	1: Install the software in standard mode. (Students answer questions using Senteo or SMART Response clickers.) 2: Install the software in CE mode. (Students answer questions using SMART Notebook SE.) 4: Install the software in LE mode. (Students answer questions using SMART Response LE clickers.) 8: Install the software in PE mode. (Students answer questions using SMART Response PE clickers.) 16: Install the software in XE mode. (Students answer questions using SMART Response XE clickers.) 32 (default): Install the software in VE mode. (Students answer questions using SMART Response VE Internet-enabled devices.) 64: Install the software in Mixed mode. (Students answer questions using Senteo, SMART Response, SMART Response LE, SMART Response PE or SMART Response XE clickers or SMART Notebook SE.) 128: Install the software in Mixed mode with additional support for SMART Response VE Internet-enabled devices.	You or the user can change the mode after installation using the SMART Response Setup Tool.

APPENDIX A
WINDOWS INSTALLER PROPERTIES AND PARAMETERS

Property	Allowed values	Notes
LOSU_RDM	1 (default): Add the SMART Response icon to the notification area when the user logs on. [Empty string]: Don't add the SMART Response icon to the notification area when the user logs on.	
LOSU_RHWS	1 (default): Start the SMART Response hardware service when the user logs on. [Empty string]: Don't start the SMART Response hardware service when the user logs on.	
INSTALL_DATABASE	1 (default): Install the SMART Response education standards database. [Empty string]: Don't install the SMART Response education standards database.	
FILE_PORT	[String]: The port you want to use to receive assessment information from SMART Notebook SE.	
SECURE_BASE_PORT	[String]: The secure port you want to use to receive assessment information from SMART Notebook SE.	
CERTIFICATE_FOLDER	[String]: The path to and file name of the security certificate for Diffie-Hellman encryption.	
VE_SERVER_WEBSITE	[String]: The URL of the SMART Response VE Server (for example, http://response.example.com).	
SMART Product Drivers properties		
ENABLE_STPCS	1 (default): Use Tablet PC functionality with the SMART Board interactive whiteboard without connecting a Tablet PC. 0: Don't use Tablet PC functionality with the SMART Board interactive whiteboard without connecting a Tablet PC.	If you specify 0, users don't have touch support at the Windows logon screen.

APPENDIX A
WINDOWS INSTALLER PROPERTIES AND PARAMETERS

Property	Allowed values	Notes
START_SNMP_SERVICE	1: Start Simple Network Management Protocol (SNMP) when the user logs on. 0 (default): Don't start SNMP when the user logs on.	Don't select this option if users have SMART serial to USB adapter cables connected to computers running Windows 7, 64-bit operating systems. After a silent installation completes, these users are prompted to register SMART Product Drivers when they connect to hardware.
INSTALL_UNSIGNED_DRIVERS	1: Enable the registration of unsigned third-party drivers. 0 (default): Disable the registration of unsigned third-party drivers.	If you enable the registration of unsigned third-party drivers, the installation process could ask users if they trust the makers of the drivers during installation. This can cause issues if you deploy the installation in Silent mode. Therefore, it's best to disable the registration of third-party drivers if you deploy the installation in Silent mode.
SMART Ink properties		
LOSU_INK	1 (default): Start SMART Ink when the user logs on. 0: Don't start SMART Ink when the user logs on.	
ROAMING_PROFILES	1: (default) Register the default ink plugin registry keys for Microsoft Office. [Empty string]: Don't register default ink plugin registry keys for Microsoft Office.	If you enable the registration of default ink plugin registry keys, Microsoft Office applications work as expected when a user with a roaming profile logs in a machine that doesn't have SMART Ink installed.

APPENDIX A
WINDOWS INSTALLER PROPERTIES AND PARAMETERS

Property	Allowed values	Notes
DEFAULT_PDF	1: Set SMART Ink Viewer as the default PDF viewer. 0 (default): Don't set SMART Ink Viewer as the default PDF viewer.	
Handwriting recognition resources properties		
AR	1: Install the Arabic handwriting recognition resource.	
ZH_CN	1: Install the Chinese (Simplified) handwriting recognition resource.	
ZH_TW	1: Install the Chinese (Traditional) handwriting recognition resource.	
CS	1: Install the Czech handwriting recognition resource.	
DA	1: Install the Danish handwriting recognition resource.	
NL	1: Install the Dutch handwriting recognition resource.	
EN_GB	1: Install the English (UK) handwriting recognition resource.	
ET	1: Install the Estonian handwriting recognition resource.	
FI	1: Install the Finnish handwriting recognition resource.	
FR	1: Install the French handwriting recognition resource.	
DE	1: Install the German handwriting recognition resource.	
EL	1: Install the Greek handwriting recognition resource.	
HE	1: Install the Hebrew handwriting recognition resource.	
HU	1: Install the Hungarian handwriting recognition resource.	
IT	1: Install the Italian handwriting recognition resource.	

APPENDIX A
WINDOWS INSTALLER PROPERTIES AND PARAMETERS

Property	Allowed values	Notes
JA	1: Install the Japanese handwriting recognition resource.	
KO	1: Install the Korean handwriting recognition resource.	
LT	1: Install the Lithuanian handwriting recognition resource.	
LV	1: Install the Latvian handwriting recognition resource.	
MS	1: Install the Malay handwriting recognition resource.	
NB	1: Install the Norwegian handwriting recognition resource.	
PL	1: Install the Polish handwriting recognition resource.	
PT_BR	1: Install the Portuguese (Brazil) handwriting recognition resource.	
RO	1: Install the Romanian handwriting recognition resource.	
RU	1: Install the Russian handwriting recognition resource.	
SK	1: Install the Slovak handwriting recognition resource.	
ES	1: Install the Spanish (Spain) handwriting recognition resource.	
SV	1: Install the Swedish handwriting recognition resource.	
TR	1: Install the Turkish handwriting recognition resource.	

Property	Allowed values	Notes
Internet access properties		
ACC	<p>[Integer]: Enable Internet access for specified components.</p> <ul style="list-style-type: none"> • 0: No components • 1: Gallery Setup • 2: Language Setup • 3: Gallery Setup and Language Setup • 13: All components except Language Setup • 14: All components except Gallery Setup • 15 (default): All components 	

Parameters

The following are the standard Windows Installer parameters for the msixexec command.

Parameter	Use
/q	<p>Hide the installation wizard.</p> <div style="background-color: #f0f0f0; padding: 5px; border: 1px solid #ccc;">  NOTE This is Silent mode. </div>
/qb	Show a basic installation wizard.
/qb!	Show a basic installation wizard without a Cancel button.
/qb+	Show a basic installation wizard with a dialog box signaling the end of the installation.
/qb+!	Show a basic installation wizard without a Cancel button but with a dialog box signaling the end of the installation.
/qr	Show a reduced installation wizard.
/qf	Show the full installation wizard, including a dialog box signaling the end of the installation or the <i>Fatal Error</i> , <i>User Exit</i> or <i>Exit</i> dialog box.
/qn	Hide the installation wizard and the dialog box signaling the end of the installation.
/qn+	Hide the installation wizard but show the dialog box signaling the end of the installation.

Examples

The following example installs SMART Notebook software and SMART Product Drivers in Silent mode:

```
msiexec /i "[Path]\SMARTEducationSoftware.msi" INSTALL_NOTEBOOK=1 INSTALL_
BOARD=1 /q
```

The following example installs SMART Response software in Silent mode, providing a product key and automatically activating the software upon completion of the installation:

```
msiexec /i "[Path]\SMARTEducationSoftware.msi" INSTALL_RESPONSE=1 RESP_PROD_KEY=
[25-character product key] ACTIVATE_LICENSE=1 /q
```

The following example installs SMART Notebook software in Silent mode, linking to centrally located Gallery content:

```
msiexec /i "[Path]\SMARTEducationSoftware.msi" INSTALL_NOTEBOOK=1 NETWORK_
CONTENT=1 CONTENT_TARGET_PATH="\\SchoolServer\Gallery" /q
```

The following example installs SMART Response software in CE mode in Silent mode:

```
msiexec /i "[Path]\SMARTEducationSoftware.msi" INSTALL_RESPONSE=1 RESPONSE_
MODE=2 /q
```


Appendix B

Language files and codes

Installation language files and codes	59
Handwriting recognition resources	60

Installation language files and codes

Language	Code	File
English (U.S.)	1033	1033.mst
English (UK)	2057	2057.mst
Arabic	1025	1025.mst
Chinese (Simplified)	2052	2052.mst
Chinese (Traditional)	1028	1028.mst
Czech	1029	1029.mst
Danish	1030	1030.mst
Dutch	1043	1043.mst
Estonian	1061	1061.mst
Finnish	1035	1035.mst
French (France)	1036	1036.mst
German	1031	1031.mst
Greek	1032	1032.mst
Hebrew	1037	1037.mst
Hungarian	1038	1038.mst
Italian	1040	1040.mst
Japanese	1041	1041.mst
Latvian	1062	1062.mst
Lithuanian	1063	1063.mst

Language	Code	File
Norwegian	1044	1044.mst
Polish	1045	1045.mst
Portuguese (Brazil)	1046	1046.mst
Romanian	1048	1048.mst
Russian	1049	1049.mst
Spanish (Spain)	1034	1034.mst
Slovak	1051	1051.mst
Swedish	1053	1053.mst
Turkish	1055	1055.mst

Handwriting recognition resources

The Education Software Installer 14.3 and later language packs contain handwriting recognition resources only. Additional localization resources previously contained in language packs are included in the product installation files.

File	Code
arabic_handwriting.msi	{CB886E2E-81D3-4995-BB75-C0D49E8DAFB1}
chinese_(simplified)_handwriting.msi	{CCB7223B-AC35-41AB-BA17-28954E7CC329}
chinese_(traditional)_handwriting.msi	{98D99912-3D02-438F-A7B6-748EF8573948}
czech_handwriting.msi	{1DCAEA16-589B-46AB-A9CD-1BAA8EB63732}
danish_handwriting.msi	{1551BCD0-F92B-4FC9-B87F-54661348DA56}
dutch_handwriting.msi	{2C79F749-9057-4287-9651-A708ADA16E71}
english_(united_kingdom)_handwriting.msi	{D2EEF167-5418-4DD4-8370-E168D867E8E2}
estonian_handwriting.msi	{C34791C6-95AA-4FF8-AB2F-308F45F7FEA2}
finnish_handwriting.msi	{AF425D73-AA24-4496-96B4-7AA419848225}
french_handwriting.msi	{41CE2133-DAA6-4360-8C57-01AE7896DCAE}
german_handwriting.msi	{207D122C-053E-42BA-AD60-AB31E93A9D48}
greek_handwriting.msi	{77614D6E-40B6-46FE-8704-F9390D6F3CCA}
hebrew_handwriting.msi	{3EF2CADB-BD70-4762-9D64-180DFD01A431}

APPENDIX B
LANGUAGE FILES AND CODES

File	Code
hungarian_handwriting.msi	{05E10A77-9D7B-47BD-A444-B86D1A7AA7D2}
italian_handwriting.msi	{66798A85-DCAB-4AAD-A632-4B6E319D27E1}
japanese_handwriting.msi	{954AA62F-B330-4A36-83C3-B5BA93ED8B92}
korean_handwriting.msi	{3995AF7C-9D7E-49CA-8EE4-34623EB0D6D5}
latvian_handwriting.msi	{36C9E38B-72C6-4392-8F70-7C18B90AA0DC}
lithuanian_handwriting.msi	{72BEEDBF-81B9-428A-98A7-C43A4B9F6256}
malay_handwriting.msi	{1B3854FE-4C13-473E-B68B-39C4BAA22DE0}
norwegian_handwriting.msi	{F255C566-8AAF-4795-9A8A-2F5640439FF7}
polish_handwriting.msi	{68E62300-DD9B-465F-8711-B288563409AE}
portuguese_(brazil)_handwriting.msi	{2A8A48D8-4981-49FB-9F02-70F1160C5FC9}
romanian_handwriting.msi	{84BCEABF-4624-447D-89D8-5D0B5F4DFFBC}
russian_handwriting.msi	{4CF5A60A-8E02-4376-A9F5-8C343D473FCD}
slovak_handwriting.msi	{A6308E80-3865-4C62-8925-14DEC2305F48}
spanish_handwriting.msi	{6156BABD-10A7-43A4-BA98-63D9968BDD02}
swedish_handwriting.msi	{2633FE47-69C1-4ACE-A8BF-19039F270F5B}
turkish_handwriting.msi	{94CC09CB-1EE7-4D25-AD90-58B474D5DA74}

Appendix C

Installing and maintaining Gallery content

Installing Gallery content	64
Installing Gallery content on each computer through Microsoft SCCM	64
Preparing the package	64
Configuring Gallery content using the command line interface	65
Configuring Gallery content using SMART Install Manager	65
Installing Gallery content on each computer from a folder on your school's network	66
Downloading Gallery content	66
Configuring Gallery content using the command line interface	67
Configuring Gallery content using SMART Install Manager	67
Installing Gallery content in a central location	68
Downloading Gallery content	68
Configuring Gallery content using the command line interface	69
Configuring Gallery content using SMART Install Manager	69
Modifying Gallery content	70
Commands	71
Flags	72
Parameters	73
Language parameters	74
Downloading a Gallery collection	75
Downloading certain categories of a Gallery collection	75
Installing a Gallery collection	75
Installing certain categories of a Gallery collection	75
Registering installed Gallery collections	75
Removing a Gallery collection	76
Changing Gallery content locations	76
Starting the software in Administration mode	76
Changing the location of the My Content folder	76
Creating or connecting to Team Content folders	77
Connecting to an RSS feed	79

Gallery content includes the following:

- Gallery Essentials, which is a collection of educational photos and other images, audio files, and Adobe Flash Player compatible files.
- Lesson Activity Toolkit, which contains objects teachers can use to create their own lesson activities.

You can access Gallery content from the *Gallery* tab in SMART Notebook software.

Installing Gallery content

There are three options for installing Gallery content.

Option	Description
1	Install Gallery content on each user's computer through Microsoft SCCM.
2	Install Gallery content on each user's computer from a folder on your school's network.
3	Install Gallery content in a central location, and then configure the software to refer to that location.

TIP

Option 3 is ideal for environments where hard disk space on computers is limited.

Installing Gallery content on each computer through Microsoft SCCM

The Microsoft System Center Configuration Manager (SCCM) and other deployment technologies allow for bundling of software and files into a package which is deployed to each computer prior to installation. If you have a very large install base, such as an entire school or school district, attempting to download the gallery from a single network folder might fail due to the large number of computers attempting to access it. This section describes how to bundle the Gallery in the deployed package to alleviate the network traffic issue.

Preparing the package

The package should contain the installer, all necessary transforms and the gallery content in the following two folders:

- Gallery Essentials (formerly known as Essentials for Educators)
- Lesson Activity Toolkit

Configuring Gallery content using the command line interface

If you're customizing the software using the command line interface, include the **CONTENT_TARGET_PATH** property in the installation package customization. You can also include the **FULL_GALLERY** and ***_CONTENT** properties to define the Gallery content you want to install.



IMPORTANT

Do not set a value for **CONTENT_SOURCE_PATH**.

For more information on these properties, see *Windows Installer properties and parameters* on page 45.

Configuring Gallery content using SMART Install Manager

If you're customizing the software using SMART Install Manager, complete the procedure in this section to configure Gallery content.

To configure Gallery content using SMART Install Manager

1. Open the software installation package in SMART Install Manager.
2. Click **Product Selection**.
The *Product Selection* page appears.
3. Select **SMART Notebook** (and any other products you want to install).
4. Click **Gallery Content**.
The *Gallery Content* page appears.
5. Click **Install the Gallery on each computer**.
6. Click **Gallery files will be found in the same folder as the installer**.
7. Click **Download**, and then select the folder that contains your installer.
8. Select the Gallery collections you want to install.
9. Click **OK** to start the download.
10. Click **Close** when the download is complete.
11. Publish your changes as an MST file, and then deploy the MSI and MST files, and the two new folders found in the same folder as the installer.

Installing Gallery content on each computer from a folder on your school's network

Downloading Gallery content

Download Gallery content from the DVD or the Internet to a folder on your school's network following the procedures in this section, and then install the content on each computer from this folder.

NOTE

To download Gallery content from the DVD, you must have Gallery Setup on your computer. Gallery Setup is included with SMART Install Manager, SMART Notebook software and SMART Notebook SE.

To download Gallery content from the DVD

1. Insert the DVD in your computer's DVD drive.
2. If the DVD browser appears, close it.
3. In Windows Explorer, browse to *[DVD drive]\Content\Gallery Essentials*.
4. Double-click **SMARTEssentials.gallerycollection**.
Gallery Setup starts.
5. In the *Content* tab, select the categories you want to include and clear the categories you don't want to include.
6. In the *Languages* tab, select the language packs you want to include and clear the language packs you don't want to include.

TIP

To see the language pack names in English, clear **Show native names**.

7. In the *Installation folder for Gallery content* box, type the path to the folder where you want to store the Gallery collection.
8. Click **OK**.
Gallery Setup installs the selected Gallery collection.
9. Click **Finish**.
10. Repeat steps 3 to 9 for the Lesson Activity Toolkit (*[DVD drive]\Content\Lesson Activity Toolkit\Lesson Activity Toolkit.gallerycollection*).

To download Gallery content from the Internet

1. Open the software installation package in SMART Install Manager.
2. Click **Product Selection**.
The Product Selection page appears.
3. Select **SMART Notebook**.
4. Click **Gallery Content**.
The Gallery Content page appears.
5. Click **Install the Gallery on each computer**.
6. Click **Download**, and then select the location to download the Gallery content to.
7. Click **OK** to start the download.
8. Click **Close** when the download is complete.

Configuring Gallery content using the command line interface

If you're customizing the software using the command line interface, include the `CONTENT_SOURCE_PATH` and `CONTENT_TARGET_PATH` properties in the installation package customization. You can also include the `FULL_GALLERY` and `*_CONTENT` properties to define the Gallery content you want to install. For more information on these properties, see *Windows Installer properties and parameters* on page 45.

Configuring Gallery content using SMART Install Manager

If you're customizing the software using SMART Install Manager, complete the procedure in this section to configure Gallery content.

To configure Gallery content using SMART Install Manager

1. Open the software installation package in SMART Install Manager.
2. Click **Product Selection**.
The Product Selection page appears.
3. Select **SMART Notebook** (and any other products you want to install).
4. Click **Gallery Content**.
The Gallery Content page appears.
5. Click **Install the Gallery on each computer**.
6. In the *Source location* box, type the path to the folder on your school's network that contains the Gallery content (if you downloaded Gallery collections to your school's network).

7. In the *Destination location* box, type the path of the location on each computer where you want to install the Gallery collections (if you don't want to use the default folder).
8. Clear the Gallery collections you don't want to install.
9. Publish your changes as an MST file, and then deploy the MSI and MST files.

Installing Gallery content in a central location

Downloading Gallery content

To place and use Gallery content in a central location on your school's network, you must first download the content from the DVD or the Internet to that location by performing one of the procedures in this section.

NOTE

To download Gallery content from the DVD, you must have Gallery Setup on your computer. Gallery Setup is included with SMART Install Manager, SMART Notebook software and SMART Notebook SE.

To download Gallery content from the DVD

1. Insert the DVD in your computer's DVD drive.
2. If the DVD browser appears, close it.
3. In Windows Explorer, browse to *[DVD drive]\Content\Gallery Essentials*.
4. Double-click **SMARTEssentials.gallerycollection**.
Gallery Setup starts.
5. In the *Content* tab, select the categories you want to include and clear the categories you don't want to include.
6. In the *Languages* tab, select the language packs you want to include and clear the language packs you don't want to include.

TIP

To see the language pack names in English, clear **Show native names**.

7. In the *Installation folder for Gallery content* box, type the path to the folder where you want to store the Gallery collection.
8. Click **OK**.
Gallery Setup installs the selected Gallery collection.

9. Click **Finish**.
10. Repeat steps 3 to 9 for the Lesson Activity Toolkit (*[DVD drive]\Content\Lesson Activity Toolkit\Lesson Activity Toolkit.gallerycollection*).

To download Gallery content from the Internet

1. Open the software installation package in SMART Install Manager.

2. Click **Product Selection**.

The *Product Selection* page appears.

3. Select **SMART Notebook**.

4. Click **Gallery Content**.

The *Gallery Content* page appears.

5. Click **Share Gallery content with all computers from a common network location**.

6. If you want to download the Gallery Essentials collection, click **Install** beside *Essentials for Educators*, and then follow the on-screen instructions.

7. If you want to download the Lesson Activity Toolkit collection, click **Install** beside *Lesson Activity Toolkit*, and then follow the on-screen instructions.

Configuring Gallery content using the command line interface

If you're customizing the software using the command line interface, include the NETWORK_CONTENT and CONTENT_TARGET_PATH properties in the installation package customization. For more information on these properties, see *Windows Installer properties and parameters* on page 45.

Configuring Gallery content using SMART Install Manager

If you're installing the software using SMART Install Manager, complete the procedure in this section to configure Gallery content.

To configure Gallery content using SMART Install Manager

1. Open the software installation package in SMART Install Manager.

2. Click **Product Selection**.

The *Product Selection* page appears.

3. Select **SMART Notebook** (and any other products you want to install).

4. Click **Gallery Content**.

The *Gallery Content* page appears.

5. Click **Share Gallery content with all computers from a common network location**.
6. In the *Gallery location* box, type the path to the folder on your school's network that contains the Gallery content.
7. Publish your changes as an MST file, and then deploy the MSI and MST files.

Modifying Gallery content

After installing the software, you can modify Gallery content using Gallery Setup. This program is available under **Programs folder\Common Files\SMART Technologies\Gallery** and you can run it from a graphical user interface or the command line.

To run Gallery Setup from a graphical user interface

1. In Windows Explorer, browse to **Programs folder\Common Files\SMART Technologies\Gallery**

2. Double-click **Gallery Setup.exe**.

The *Select a Gallery* dialog box appears.

3. Select the Gallery collection you want to modify, and then click **OK**.

Gallery Setup starts.

4. In the *Content* tab, select the categories you want to include and clear the categories you don't want to include.
5. In the *Languages* tab, select the language packs you want to include and clear the language packs you don't want to include.



TIP

To see the language pack names in English, clear **Show native names**.

6. In the *Installation folder for Gallery content* box, type the path to the folder where you want to store the Gallery collection.
7. Click **OK**.
Gallery Setup updates the selected Gallery collection.
8. Click **Finish**.

To run Gallery Setup from the command line

1. Open a Command Prompt window.
2. Type the following command:

```
"[Path]\Gallery Setup.exe" [Command] [Flags] [Parameters]
```

Where:

- *[Path]* is the path to the **Gallery Setup.exe** file.

NOTE

The default path is **Programs folder\Common Files\SMART Technologies\Gallery**.

- *[Command]* is a command (see *Commands* below).
- *[Flags]* is one or more optional flags for the command (see *Flags* on the next page).
- *[Parameters]* is one or more parameters for the command (see *Parameters* on page 73).

NOTES

- For example commands, see the *Commands* table below.
- Gallery Setup doesn't support Windows Installer options.

3. Press ENTER.

Gallery Setup updates the selected Gallery collection.

Commands

The following table defines available commands for Gallery Setup.

Command	Purpose	Notes
--downloadall	Download the entire Gallery collection to a source folder.	
--downloadsome	Download specific categories of the Gallery collection to a source folder.	Specify which categories you want to download using the --c parameter.
--installall	Install the entire Gallery collection from the source folder to the destination folder.	If you omit the --source parameter, Gallery Setup doesn't use a default path unless you provide the --allowdownload flag. If you omit the --destination parameter, Gallery Setup uses the default path defined in the Gallery collection's configuration.

APPENDIX C
INSTALLING AND MAINTAINING GALLERY CONTENT

Command	Purpose	Notes
--installsome	Install specific categories of the Gallery collection from the source folder to the destination folder.	If you omit the --source parameter, Gallery Setup doesn't use a default path unless you provide the --allowdownload flag. If you omit the --destination parameter, Gallery Setup uses the default path defined in the Gallery collection's configuration. Specify which categories you want to download using the --c parameter.
--teamcontent	Register additional Team Content at the folder specified by the --destination parameter.	You must enter an existing Gallery destination.
--mycontent	Set the default My Content path to the folder specified by the --destination parameter.	
--repair	Attempt to detect and optionally remove corrupted galleries.	Include the --allowcleanup parameter to delete corrupted galleries.
--uninstall	Remove the installed Gallery collection.	
--register	Define the location of Gallery content.	Use this command with the --destination and --configuration parameters, or with the --guid parameter.

Flags

The following table defines available flags for Gallery Setup.

Flag	Purpose	Notes
--remote	Prevent Gallery Setup from registering itself with the SMART software.	This disables the <i>Check for Updates</i> feature and prevents users from updating the content.
--verbose	Output progress of operations to standard output when working in command line mode.	
--overrideproxy	Set Gallery Setup to ignore default (system-wide or previously set) proxy settings where applicable, and use a proxy specified by the --proxy parameter (server:port format), using a user name and password provided by the --username and --password parameters.	You can set a user name and password without --overrideproxy , and still use it for authentication with the default proxy.
--allowdownload	Download the Gallery collection from the default URL specified in the configuration.	Use this flag with the --installall or --installsome parameters when you omit the --source parameter.
--forcedest	Share Gallery content across users.	

Parameters

The following table defines available parameters for Gallery Setup.

Parameter	Value	Purpose	Notes
--source	<i>[Path]</i>	Define the path to a local or network folder where the Gallery content is stored before installation.	If you omit this parameter, the installation program uses the default URL from the Gallery configuration, as specified by the --guid or --configuration parameters.
--destination	<i>[Path]</i>	Define the path to a local or network folder where Gallery Setup installs the Gallery content.	If you omit this parameter, Gallery Setup uses this default path found in the computer's registry.
--configuration	<i>[Path]</i>	Define the full path to a .gallerycollection file, including the file name.	If you omit this parameter, you must provide the --guid parameter to specify a known Gallery collection.
--proxy	<i>[Server:Port]</i>	Specifies the proxy used by Gallery Setup when you include the --overrideproxy flag.	
--guid	<i>[Identifier]</i>	Specify a known Gallery collection to work with.	A Gallery collection is known if Gallery Setup has already opened its .gallerycollection file. In this situation, use this parameter instead of the --configuration parameter.
--c	<i>[Alias]</i>	Download or install the category of the Gallery collection identified by <i>[Alias]</i> . Use this parameter with the --downloadsomesome and --installsomesome commands.	You can include several --c parameters in a single command. Valid <i>[Alias]</i> values for the Gallery Essentials collection are: <ul style="list-style-type: none"> • admin • arts • english • geography • history • math • people • science • special • sports
--ui	N/A	Specify the user interface level. Use this parameter to show a progress indicator and error messages. If you don't include this parameter, Gallery Setup works silently without a user interface.	Use --register with the --downloadall or --downloadsomesome parameters to display the full user interface. Use --register with the --installall or --installsomesome parameters to display a minimal user interface.

Language parameters

The following table defines available language parameters for Gallery Setup.

Parameter	Value	Purpose
--1	[ar]	Installs Gallery in Arabic.
--1	[cs]	Installs Gallery in Czech.
--1	[da]	Installs Gallery in Danish.
--1	[de]	Installs Gallery in German.
--1	[el]	Installs Gallery in Greek.
--1	[en_gb]	Installs Gallery in English U.K.
--1	[en_us]	Installs Gallery in English U.S.
--1	[es]	Installs Gallery in Spanish.
--1	[fi]	Installs Gallery in Finnish.
--1	[fr]	Installs Gallery in French.
--1	[he]	Installs Gallery in Hebrew.
--1	[hu]	Installs Gallery in Hungarian.
--1	[it]	Installs Gallery in Italian.
--1	[ja]	Installs Gallery in Japanese.
--1	[ko]	Installs Gallery in Korean.
--1	[nb]	Installs Gallery in Norwegian.
--1	[nl]	Installs Gallery in Dutch.
--1	[pl]	Installs Gallery in Polish.
--1	[pt_br]	Installs Gallery in Portuguese Brazil.
--1	[ro]	Installs Gallery in Romanian.
--1	[ru]	Installs Gallery in Russian.
--1	[sv]	Installs Gallery in Swedish.
--1	[tr]	Installs Gallery in Turkish.
--1	[zh_cn]	Installs Gallery in Chinese-Simplified.

Parameter	Value	Purpose
--1	[zh_tw]	Installs Gallery in Chinese-Traditional.

Downloading a Gallery collection

Use the following command to copy a Gallery collection from a specific source folder to a common destination folder:

```
"[Path]\Gallery Setup.exe" --downloadall --destination "[Path]"  
--configuration "[Path]"
```

Downloading certain categories of a Gallery collection

Use the following command to copy only certain categories of a Gallery collection from a specific source folder to a common destination folder:

```
"[Path]\Gallery Setup.exe" --downloadsomes --destination "[Path]"  
--configuration "[Path]" --c "[Alias 1]" --c "[Alias 2]"
```

Installing a Gallery collection

Use the following command to install a Gallery collection from the default source (as defined in the .gallerycollection file) to a specific destination folder:

```
"[Path]\Gallery Setup.exe" --installall --allowdownload --destination "[Path]" -  
-configuration "[Path]"
```

Installing certain categories of a Gallery collection

Use the following command to install certain categories of a Gallery collection from the default source (as defined in the .gallerycollection file) to a specific destination folder:

```
"[Path]\Gallery Setup.exe" --installsomes --remote --source "[Path]"  
--allowdownload --destination "[Path]" --configuration "[Path]"  
--c "[Alias 1]" --c "[Alias 2]"
```

Registering installed Gallery collections

If you installed Gallery collections to a network location, use the following command to register the Gallery content with the SMART software on each user's computer:

```
"[Path]\Gallery Setup.exe" --register --remote --forcedest  
--destination "[Path]" --configuration "[Path]"
```

Removing a Gallery collection

Use the following command to remove the Gallery Essentials collection:

```
"[Path]\Gallery Setup.exe" --uninstall --guid gallery.smarttech.com
```

TIP

To automate the removal of a Gallery collection, you can use the command in a batch file as a startup script.

Changing Gallery content locations

After installing the software, you can do the following:

- Change the location of the **My Content** folder.
- Create or connect to a **Team Content** folder.
- Connect to an RSS feed.

Starting the software in Administration mode

Before you can maintain content folders, you must start the software in Administration mode.

To start SMART Notebook software in Administration mode

1. Open a Command Prompt window.
2. Type the following command:

```
"[Path]\Notebook.exe" /admin
```

Where *[Path]* is the path to the SMART Notebook software program folder.

NOTE

The default path is *[Programs folder]\SMART Technologies\Education Software*.

3. Press ENTER.

SMART Notebook software starts in Administration mode.

Changing the location of the My Content folder

The **My Content** folder is a location where teachers and students can store content for their individual use.

You can specify the location of the **My Content** folder during installation or afterward.

To change the location of the My Content folder after installation

1. Start the software in Administration mode (see *Starting the software in Administration mode* on the previous page).
2. Click the **Gallery** tab.
3. Click the **Click here for more Gallery options** icon , and then select **Administration: Content Locations**.

The *Administration: Content Locations* dialog box appears.

4. Click **Browse**.
The *Browse For Folder* dialog box appears.
5. Browse to and select the new **My Content** folder, and then click **OK**.
6. Click **Close**.
7. Close the software.

Creating or connecting to Team Content folders

All users can create new content and save it in their **My Content** folders. To allow users to share content, you must create or connect to a **Team Content** folder.

TIP

If you create a **Team Content** folder on a computer's hard disk, the folder is available only to users of that computer. However, if you create a **Team Content** folder on a server, the folder is available to all users on the school's network with read and write access to the folder.

To create a new Team Content folder

1. Start the software in Administration mode (see *Starting the software in Administration mode* on the previous page).
2. Click the **Gallery** tab.
3. Click the **Click here for more Gallery options** icon , and then select **Administration: Content Locations**.

The *Administration: Content Locations* dialog box appears.

4. Click **Create New**.
The *Browse For Folder* dialog box appears.

5. Browse to and select the folder you want to designate as a **Team Content** folder, and then click **OK**.



NOTE

The software adds an **imsmanifest.xml** file to the **Team Content** folder after you click **OK**. This file identifies the folder as a **Team Content** folder.

6. Click **Close**.
7. Close the software.

To connect to an existing Team Content folder

1. Start the software in Administration mode (see *Starting the software in Administration mode* on page 76).
2. Click the **Gallery** tab.
3. Click the **Click here for more Gallery options** icon , and then select **Administration: Content Locations**.

The *Administration: Content Locations* dialog box appears.

4. Click **Add Existing**.
- The *Browse For Folder* dialog box appears.
5. Browse to and select the **Team Content** folder, and then click **OK**.
 6. Click **Close**.
 7. Close the software.

To disconnect a Team Content folder

1. Start the software in Administration mode (see *Starting the software in Administration mode* on page 76).
2. Click the **Gallery** tab.
3. Click the **Click here for more Gallery options** icon , and then select **Administration: Content Locations**.

The *Administration: Content Locations* dialog box appears.

4. Select the folder in the *Team Content* list, and then click **Remove**.



IMPORTANT

If you installed the Gallery Essentials and Lesson Activity Toolkit collections, folders for those collections appear in the *Team Content* list. Do not remove these folders from the list, or users will not be able to access these collections.

5. Click **Close**.
6. Close the software.

Connecting to an RSS feed

You can connect to a public or private RSS feed to send information to your school's SMART Notebook software and SMART Notebook SE users through the *Gallery* tab.

RSS is a format for delivering regularly changing web content. Many news-related websites, blogs and other publishers broadcast their content as RSS feeds.

To connect to an RSS feed

1. Start the software in Administration mode (see *Starting the software in Administration mode* on page 76).
2. Click the **Gallery** tab.
3. Click the **Click here for more Gallery options** icon , and then select **Administration: Content Locations**.

The *Administration: Content Locations* dialog box appears.

4. Type the URL of the RSS feed in the *Online Resources* box.
5. Click **Close**.
6. Close the software.

Appendix D

Removing previous versions of SMART Board software

Removing SMART Board software 9.x	81
Removing SMART Board software 8.x	82
Cleaning the registry	83

If you have version 9.0 or earlier of SMART Board software on your computers, SMART recommends that you remove it before installing new software.

Removing SMART Board software 9.x

You or your predecessor installed SMART Board software 9.x using the Windows Installer 3.1 installation utility.

You can remove SMART Board software 9.x using the installation package (if you still have it) or the product code.

To remove SMART Board software 9.x

Run the following command to remove the software using the installation package:

```
msiexec /x "[Path]\SMART Board Software.msi" [Parameter]
```

Where

- *[Path]* is the path to the **SMART Board Software.msi** file.
- *[Parameter]* is the installation parameter (see *Parameters* on page 56).

OR

Run the following command to remove the software using the product code:

```
msiexec /x [Product code] [Parameter]
```

Where

- *[Product code]* is the product code for the version of SMART Notebook software you're removing, including the braces (“{” and “}”).

Version	Product code
9.0.1.57	{D2EC1505-9F11-4A94-9644-DCD0299DE491}
9.1.0.40	{BD6516BA-2314-4F2C-9ECD-29BCB1074AFB}
9.1.3.47	{8D757887-9CD3-4F97-9873-E049E1C264CE}
9.1.4.51	{EE2A5345-CBE2-4932-83B0-D628D0D24AF8}
9.5.x.x	{B72EB184-2A42-4B3C-8F8F-D7EF163829B4}
9.7.x.x	{46486451-E60F-42C3-92D7-796D8594688A}

- *[Parameter]* is the installation parameter (see *Parameters* on page 56).

Removing SMART Board software 8.x

You or your predecessor installed SMART Board software 8.x using the InstallShield® installation utility.

You can remove SMART Board software 8.x by creating a **setup.iss** file and then using the file to remove the software from all computers.

NOTE

You need to create the **setup.iss** file only once. You can then use the file to remove the same version of SMART Board software from other computers on your network using a batch file or startup script.

Before completing the following procedures, determine the product code for the version of SMART Board software installed on the computers.

Version	Product code
8.0.0.52	{7823065C-AA64-425D-A9A3-18BF7B99E944}
8.0.1	{F414173A-7BE1-46C6-811A-51277A4D9E7B}
8.1.0	{155FBC4E-CF09-4698-961B-DF9787E6B8B8}

Version	Product code
8.1.1.24	{7AD771BB-B681-4659-B7FA-223FCB1FDF56}
8.1.2.8	{55C574CA-8D71-46F1-9897-98DAE55C0394}
8.1.3.17	{10D2A154-D221-4455-8426-E67D12C092F9}
8.1.4.19	{41CEFD25-0D33-44EA-A19C-5A1EBABFC041}

The product code includes the braces (“{” and “}”).

To create the setup.iss file

1. Run the following command:

```
"C:\Program Files\Common Files\InstallShield\Driver\8\Intel 32\IDriver.exe" /MProductCode /11033 /r/z-AddRemove --RemoveReg
```

The InstallShield installation utility removes SMART Board software and creates a **setup.iss** file in the root Windows folder.

2. Move the **setup.iss** file to a location where all computers can access it.

To remove SMART Board software 8.x

Run the following command:

```
"C:\Program Files\Common Files\InstallShield\Driver\8\Intel 32\IDriver.exe" /MProductCode /11033 /s /z-AddRemove -RemoveReg /f1"[Path to the setup.iss file]\setup.iss"/f2"[Path to the uninst.log file]\uninst.log"
```

Where

- *[Path to the setup.iss file]* is the path to the **setup.iss** file you created in the previous procedure.
- *[Path to the uninst.log file]* is the path to the log file that the InstallShield installation utility creates when it removes the software.

Cleaning the registry

When you remove a previous version of SMART Notebook software, the removal process can leave behind registry entries, preventing you from installing the latest version of the software.

 **CAUTION**

Use caution when you open the Windows registry editor. If you incorrectly modify the Windows registry, you can damage your computer's operating system. Back up your registry before performing the following procedures.

If you're still having difficulties with remaining registry files, ensure that you have administrator rights and manually search the registry for SMART Notebook software, SMART Board software or SMART Product Drivers files.

 **CAUTION**

Do not remove files for other SMART products you want to retain. If you are unsure, contact SMART Support (smarttech.com/contactsupport).

 **To manually clean the registry**

1. Press START+R.

The *Run* dialog box appears.

2. Type **regedit**, and click **OK**.

The *Registry Editor* window appears.

3. Locate SMART files in the following locations, and then delete them:
 - HKEY_CURRENT_USER\Software\SMART Technologies Inc.
 - HKEY_LOCAL_MACHINE\Software\SMART Technologies Inc.
 - HKEY_CURRENT_USER\Software\SMART Technologies
 - HKEY_LOCAL_MACHINE\Software\SMART Technologies
4. Close the *Registry Editor* window.
5. Restart your computer.

Index

A

activation 13, 24, 46
ActiveX 2, 4, 21
administration content 49, 73
Administration mode 76
Adobe Flash Player 2, 4, 21
Arabic 54, 59-60
arts content 49, 73

C

certificate file 52
Chinese 54, 59-60
command line interface 20
computer imaging 24
computer requirements 2
culture content 50, 73
Customer Experience Program 14, 48
Czech 54, 59-60

D

Danish 54, 59-60
database 17
desktop icons 48
Diffie-Hellman encryption 52
DirectX 2
document camera See SMART Document
 Camera
downloads 3, 5
drivers
 Print Capture See Print Capture Driver
 SMART Document Camera 15, 50
 unsigned 53
Dutch 54, 59-60

E

education standards database 17
encryption 17, 52
English 54, 59-60
English content 49, 73
Essentials for Educators
 collection See Gallery Essentials
 collection
Estonian 54, 59-60
evaluation content 49, 73
examples
 Windows Installer command lines 57

F

Finnish 54, 59-60
Flash See Adobe Flash Player
French 54, 59-60

G

Gallery content
 changing location of 76
 installing 64
 modifying 70
Gallery Essentials 64
geography content 49, 73
German 54, 59-60
Greek 54, 59-60

H

hard disk space 2
Hebrew 54, 59-60

INDEX

history content 49, 73
Hungarian 54, 59, 61

I

imaging 24
Install Manager See SMART Install
 Manager
Internet access 56
Italian 54, 59, 61

J

Japanese 55, 59, 61

K

Korean 55, 61

L

language arts content 49, 73
language files 59
language setup 45
Latvian 55, 59, 61
Lesson Activity Toolkit 64
Lesson Activity Toolkit collection 50
Lithuanian 55, 59, 61

M

Malay 55, 61
Math Tools See SMART Notebook Math
 Tools
mathematics content 50, 73
Microsoft .NET framework 4, 20
Microsoft Visual Studio Tools for Office 4, 20
MSI files 4, 31
MSP files 32
MST files 11, 45, 59
My Content folder 14, 50, 76

N

Norwegian 55, 60-61
notification area 52

P

parameters 56
people and culture content 50, 73
PKG files 3
Polish 55, 60-61
Portuguese 55, 60-61
prerequisites
 computer 2
 knowledge 1
Print Capture Driver 15, 50
product key 11, 47
protection software 24

R

RAM 2
recreation content 50, 73
renewable activations 27
requirements 2
Romanian 55, 60-61
Russian 55, 60-61

S

science content 50, 73
serial number See product key
service ports 17
shortcuts 48
Silent mode 56
Slovak 55, 60-61
SMART Document Camera 15, 50, 53
SMART Ink 11, 46, 53
SMART Install Manager
 about 7
 downloading 7

INDEX

- installation file types 8
- installing 7
- SMART Notebook 11, 47
- SMART Notebook Math Tools 12, 47
- SMART Notebook SE 16, 51
- SMART Product Drivers 11, 46
- SMART Product Update 13, 48
- SMART Response 11, 47, 51
- SMART Response CE 16, 51
- SMART Response LE 15, 51
- SMART Response PE 15, 51
- SMART Response VE 16
- SMART Response XE 16, 51
- SMART Tools 46
- SNMP 17
- Spanish 55, 60-61
- special needs content 50, 73
- sports content 50, 73
- SSL digital certificates 17
- startup 46, 52-53
- Swedish 55, 60-61
- system recovery software 24

T

- Tablet PC support 52
- Team Content folders 50, 77
- technology content 50, 73
- third-party applications 23
- Turkish 55, 60-61
- tutorial file 15, 50

U

- unsigned drivers 53
- updates 31

W

- Windows 7 operating system 2
- Windows 8 operating system 2
- Windows 8.1 operating system 2
- Windows operating systems 2

X

- XML 9-10
- XML files 9

SMART TECHNOLOGIES

smarttech.com/support

smarttech.com/contactsupport

smarttech.com/kb/170648